

FORM OF SHORT TENDER NOTICE

No. D2/2754/17/GECTCR

Government Engineering College Thrissur

Sealed tenders are invited for the supply of the following stores for chemical engg. department:

Seperate list attached

The envelopes containing the tender should bear the superscription "Tender. No.D2/33/16-17 due on 05/07/17" and should be addressed to the Principal, Govt. Engg. College, Thrissur, Kerala..

Last date for receipt of tenders will be 05/07/17 2.00 pm Late tenders will not be accepted. The tenders will be opened at Government Engineering College Thrissur on 06/07/2017 11.00 am in the presence of such of the tenderers or their authorized representatives who may be present at that time. Intending tenderers may, on application to the Principal, Govt. Engg. College, Thrissur, obtain the requisite tender forms on which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of Rs. 788/- + postal charge which is the price fixed for a form/set of forms and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 05/07/2017 2.00 pm Cheques, postage stamps, etc., will not be accepted towards the cost of forms, nor will the forms be sent per V.P.P.

Tenders should be accompanied by EMD of 1%, subject to a minimum of Rs. 1500/- , of the amount by DD drawn in favour of the Principal, Govt.Engineering College, Thrissur with an agreement in Kerala Stamp Paper worth Rs.200/-. Details can be had from the Govt.Engineering College Office working hours.

Place:Thrissur

Date: 26-5-2017


Dr. K. P. Indradevi

Principal

8/

To

1. Notice Board
2. HDD, Chemical Engineering Department
- ✓ 3. OC



Item	Specification	Quantity
Fume Exhaust hood	<p>The working table should cover with acid proof tiles or granite slab of 20 mm thick provided with water tap, and ceramic sink. Provided with gas/ Air cock, additional power points, defused fluorescent tube. The exhaust system consists of a dynamically balanced Epoxy/ FRP coated impeller coupled with TEFC industrial motor. The front glass shutter is to be provided with counter weight arrangement for easy vertical sliding. Bottom stand is to be provided with cupboard and draws. To be supplied with 415 V exhaust motor 50 Hz. Working table size in cm 150x60x60. Approx. external dimension in cm 155x75x240</p>	2