No. D3/3346/18

Govt. Engineering College,

Thrissur, Dt.21/2018

SHORT QUOTATION NOTICE

Sealed quotations are invited for the supply and purchase of LCD Projector with Wireless Adaptor for projects at Innovation Centre

Detailed Specification attached

The envelopes containing the quotations should bear the superscription " Qtn. No. D3/43/18-19 due on 12/12/2018" and should be addressed to The Principal, Govt. Engg. College, Thrissur-680 009. Intending tenderers may submit the quotations on their own papers

Last date of receipt of quotation is 12/12/2018 at 2 pm. Late quotations will not be accepted. The quotations will be opened at Engineering College Office, Thrissur on 13/12/2018 at 11 a.m. in the presence of such of the tenders or their authorized representatives who may be present at that time. The maximum period required for delivery of the articles should also be mentioned.

Details of requirements and the conditions governing their supply can be obtained free on request from the undersigned till 12/12/2018- 2 p.m.

1) The offer should be valid for a minimum period of 3 months from the date of opening the quotations.

2). No advance payment will be given.

3). F.O.R. Govt. Engg. College, Thrissur.

C.d.d.

PRINCIPAL 2

pecifications:

Technology Projection System LCD Panel Image Colour Light Output

White Light Output

Resolution -Aspect Ratio Contrast Ratio Light source Lamp

Keystone Correction Colour Processing 2D Vertical Refresh Rate Colour Reproduction Optical **Projection Ratio** Zoom Image Size Projection Distance Wide/Tele Projection Lens F Number Focal Distance Focus Offset Connectivity **USB** Display Function Interfaces

Epson iProjection App Advanced Features

> elich Ofrine elich Grent i

3LCD Technology 0.55 inch with MLA (D9)

3,200 Lumen- 2,240 Lumen (economy) In accordance with IDMS15.4 3,200 Lumen - 2,240 Lumen (economy) In accordance with ISO 21118:2012 XGA, 1024 x 768, 4:3 4:3 15,000 : 1 Lamp UHE, 200 W, 5,000 h durability, 10,000 h durability (economy mode) Auto vertical: ± 30 °, Manual horizontal ± 30 ° 10 Bits 100 Hz - 120 Hz Upto 1.07 billion colours

1.48 - 1.77:1 Manual, Factor: 1.2 30 inches - 300 inches 1.8 m - 2.17 m (60 inch screen) 1.58 - 1.72 16.9 mm - 20.28 mm Manual 8 : 1

3 in 1: Image / Mouse / Sound USB 2.0 Type A, USB 2.0 Type B, Wireless LAN IEEE 802.11b/g/n (optional), VGA in, HDMI in, Composite in, S-Video in, Cinch audio in Ad-Hoc / Infrastructure Features/ mute-striage

Video Colour Modes

General Energy Use

Supply Voltage Noise Level Temperature Humidity Loudspeaker What's in the box

Colour Other Warranty Accessories required Kensington lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection

AV mute slide, Built-in speaker, Direct Power on/off, Document Camera Compatible, Horizontal and vertical keystone correction, Long lamp life, Network projection, OSD copy function, PC Free, Split-Screen-Function, Wireless LAN capable, iProjection set-up by QR code Blackboard, Cinema, Dynamic, Presentation, sRGB

277 Watt, 207 Watt (economy),
0.26 Watt (standby)
AC 100 V - 240 V, 50 Hz - 60 Hz
Normal: 37 dB (A) - Economy: 28 dB (A)
Operation 5° C - 35° C, Storage -10° C - 60° C
Operation 20% - 80%, Storage 10% - 90%
2 Watt
Carrying bag, VGA cable, Main unit, Power cable, Remote control incl. batteries, USB cable, User's Manual Set, Warranty Documents
White

24 months Carry-in, Lamp: 12 months or 1,000 h Quick wireless USB key, Wireless LAN unit