## FORM OF SHORT TENDER EXTENSION NOTICE

## D2/1578/20/GECTCR

Government Engineering College Thrissur

Sealed tenders are invited for LVDT and Strain Gauge for Civil Engineering Department

Specification separately attached

The envelopes containing the tender should bear the superscription "Tender. No. D2/84/19-20 and should be addressed to the Principal, Government. Engineering. due on 17/09/2020 College, Thrissur, Kerala ...

Last date for receipt of tenders will be 17/09/2020 2.00 pm Late tenders will not be accepted. The tenders will be opened at Government Engineering College Thrissur on 18/09/2020 3.00 PM in the presence of such of the tenderers or their authorized representatives who may be present at that time. Intending tenderers may, on application to the Principal, Govt. Engineering. College, Thrissur, obtain the requisite tender forms on which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of Rs.476 + postal charge (400+18% GST +1% Flood cess )which is the price fixed for a form/set of forms and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 12 pm on 17/09/2020 Cheques, postage stamps, etc., will not be accepted towards the cost of forms, nor will the forms be sent per V.P.P.

Tenders should be accompanied by EMD of 1%, subject to a minimum of Rs. 1500/- , of the amount by DD drawn in favour of the Principal, Government. Engineering College, Thrissur with an agreement in Kerala Stamp Paper worth Rs.220/-. Details can be had from the Govt.Engineering College Office working hours.

Dr.Sheeba V S

Principal

81

Place: Thrissur

29.07.2020

Copy to

- 1. Notice Board
- 2. Dr Seena P Civil Engineering

SI.No Desc	ription of Items	Qty
LVDT		1. A. S.
Range	:0-20mm and 0.01mm resolution,	
1 LVDT		1
Range	: 0-50mm and 0.01mm resolution	1
with a	Digital Indicator, 3Channel	
Multi C	hannel Strain Indicator	
Range	:2000 micro strain	
Gauge	resistance setting-120 ohms-350 ohms	1
Power	230 V	
Gauge	factor setting 0-10 mm	
Resolut	ion 0.5 microns	
Strain (	Sauge-25 nos	
Gauge	resistance 120Ω	1
Gauge	Length-3mm	
Gauge	Factor 2.1	
Strain G	auge25 nos	
Gauge	esistance 350Ω	
Gauge I	ength 10 mm	
Gauge F	actor 2.1	

Principal

GOVT. ENGG. COLLEGE THRISSUR.