Govt. Engineering College,

Thrissur, 27/01/2023

SHORT QUOTATION NOTICE

Sealed quotations are invited for Shifting of Fiber Cables from newly constructed civil block of this institution

The envelopes containing the quotations should bear the superscription " **Qtn. No. D3/85/22-23 due on 13/02/2023** " and should be addressed to The Principal, Govt. Engg. College, Thrissur-680 009. Intendenting tenderers may submit the quotations on their own papers

Last date of receipt of quotation is **13/02/2023 at 2 pm.** Late quotations will not be accepted. The quotations will be opened at Engineering College Office, Thrissur on **14/02/2023 at 11 am.** in the presence of such of the tenders or their authorized representatives who may be present at that time. The maximum period required for delivery of the articles should also be mentioned.

Details of requirements and the conditions governing their supply can be obtained free on request from the undersigned till **13/02/2023 at 2 pm**.

1) The offer should be valid for a minimum period of 2 months from the date of opening the quotations.

2). No advance payment will be given.

3). F.O.R. Govt. Engg. College, Thrissur.

PRINCIPAL

Forwarded/By Order

Accounts Officer

Approval Valid

3

Digitally Approved By Dr Ranjini Bhattathiripad T * Date: 31.01.2023 Reason: Approved . Fiber Cabling Work

.

No	Item Description	Qty
	1 6 Core OFC Cable	400 Mtrs
	2 Splincing Cost	66 Points
	3 Joint Closures and fittings	4 Nos
	4 HD Pipe	60 Mtrs

Civil Work

CABLE	TRENCH & JUNCTION MANHOLE						
RENC	СН БОСМ Х БОСМ	· · · · · · · · · · · · · · · · · · ·	1	[[[
SI.No.	Description	No	Length	Breadth	Height	Quantity	Unit
	Earth work in rough excavation, banking excavated earth in layers not exceeding 20 cm in depth, breaking clods, watering, rolling each layer with ½ tonne roller & filling up ground depressions, lead upto 50m and lift upto 1.5 m :	1	50	0.6	0.6	18	М3
2	placing solid bricks (150x200x300)above laid cable as per directions of engineer incharge	1	50			250	no's
3	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth : consolidating each deposited layer by ramming and watering lead upto 50mm and lift upto 1.5m	1	50	0.6	0.45	13.5	M3
JUNC	TION MANHOLE						
1	Earth work in rough excavation, banking excavated earth in layers not exceeding 20 cm in depth, breaking clods, watering, rolling each layer with ½ tonne roller & filling up ground depressions, lead upto 50m and lift upto 1.5 m :	1	1.00	1.00	1.00	1.00	м3
2	Providing and laying in position of design mix M- 15 grade cement concrete for plain cement concrete work, using cement content as per approved design mix,	1	1.00	1.00	0.15	0.15	M3
3	Solid block masonry in cement mortar 1:5 using concrete brick, including cost and conveyance of all materials and labour charges etc.complete.	4	1.00	0.20	0.85	0.68	мз
4	Providing and laying in position of design mix M- 20 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix,						
	RCC						
	cover slab	1	1	1	0.15	0.15	
5	Plastering with C.M. 1:4 (one cement four sand). 12mm thick for walls inside with necessary including cost and conveyance of all materials and	4	1.00		0.85	3.40	М2

	labour charges etc. complete.				•	
6	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete up to plinth level				*	
			100kg/M3	15.00	kg	

Forwarded/By Order Accounts Officer B 5

Sell -PRINCIPAL

•