

## Consultancy Details of of Civil Engineering Department 2012-2013,2013-14, 2014-15,2015-16 & 2016-17

Sl.No.	Proceedings No.	Name	Client	Amount	Work	Date	Completion
1	141/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	CNN School, Cherpu	7,000	Soil Investigation	10.06.2012	10.09.2012
2	142/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	LSGD, Wadakkanchery	7,500	Soil Investigation work for Boys High School, Wadakkenchery	17.12.2012	10.06.2012
3	143/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Delhi Metro Rail Corporation	9,500	Design of mis Aggregates and biteumen	22.11.2012	20.10.2012
4	144/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Desamangalam GramaPanchayath	8,000	Soil Investigation of common Bbuilding complex at Desamangalam	12.07.2012	17.12.2012
5	145/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Costford Thrissur	13,000	Soil evaluation work of flat	23.03.2012	08.06.2012
6	146/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Delhi Metro Rail Corporation	10,200	Evaluation of Soilo subbase	03.10.2012	07.08.2012
7	147/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Delhi Metro Rail Corporation	8,900	Design of Wet Mix Macadam	03.12.2012	06.12.2012
8	148/CON/CEC/GEC/2013	Mr.P.P.Sivan	Asst Ex Engineer, KWA Project Division, Kattappanna	10,000	Concrete Mix Design	17.10.2012	15.12.2012
9	149/CON/CEC/GEC/2013	Mr.P.P.sivan	Asst Enfgineer,CPWD,Thrissur	10,000	Concrete Mix Design	12.10.2012	15.12.2012
10	150/CON/CEC/GEC/2013	Mr.P.P.Sivan	Asst Garrison Engineer, Kochi	16,000	Concrete Mix Design	31.10.2012	15.12.2012
11	151/CON/CEC/GEC/2013	Mr.P.P.Sivan	Executive Engineer,KPWD,KSTD, Ponkunnam	24,000	Concrete Mix Design M 15 & M20	05.10.2012	07.11.2012
12	152/CON/CEC/GEC/2013	Mr.P.P.Sivan	Asst Garrison Engineer, Kochi	10,000	Concrete Mix Design	03.10.2012	15.12.2012
13	153/CON/CEC/GEC/2013	Mr.P.P.Sivan	Jr Project Engineer, KITCO, Thrissur	10,000	Concrete Mix Design	22.10.2012	15.12.2012
14	154/CON/CEC/GEC/2013	Mr.P.P.Sivan	Asst Garrison Engineer, Kochi	10,000	Concrete Mix Design	05.10.2012	15.12.2012
15	155/CON/CEC/GEC/2013	Mr.P.P.Sivan	Asst Geneneral Manager, RDS Projects, Kochi	16,000	Concrete Mix Design M 30 & M 35	10.10.2012	15.12.2012

16	156/CON/CEC/GEC/2013	Mr.P.P.Sivan	Resident Construction Manager, Engineers India Ltd	10,000	Concrete Mix design M 30 for piling works	12.10.12	15.12.2012
17	157/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Bharat Pile Foundation	1,000	Evaluation of Soil	08.04.2012	09.04.2012
18	158/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Cemex Engineers, Kakkanad	4,000	Field Compecting Checking	26.11.2012	12.11.2012
19	159/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	CPWD, Alappuzha	2,250	Evaluation of Bentonite	04.08.12	07.08.2012
20	160/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Peejay Granites	3,080	Evaluation of Materials	29.09.2012	18.10.2012
21	161/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Arimpur Gramapanchayath	7,000	Soil Investigation for cultural Building for Arimpur Gramapanchayth	06.07.2012	30.04.2012
22	162/CON/CEC/GEC/2013	Dr.Sumam.K.S	Engineers India Limited	15,000	Mix Designm M 30	17.08.2012	23.01.2013
23	163/CON/CEC/GEC/2013	Dr.Sumam.K.S	Executive Engineer, KWA	20,500	Mix Design	25.07.2012	23.01.2013
24	164/CON/CEC/GEC/2013	Dr.Sumam.K.S	M.P.Sidheek , Mathrakkattu for BNPCL	7,500	Mix Design M30	07.09.2012	23.01.2013
25	165/CON/CEC/GEC/2013	Dr.Sumam.K.S	Jayachandran & Associates Designers and project engineers P Ltd	15,000	Mix Design M 30	06.09.2012	23.01.2013
26	166/CON/CEC/GEC/2013	Dr.Sumam.K.S	Vishaal Infrastructures Ltd for Cochin International Airport Ltd	25,500	Mix Design	05.09.2012	23.01.2013
27	167/CON/CEC/GEC/2013	Dr.Sumam.K.S	KB Tech Builders and Contractors	11500	Mix Design M 30	04.09.2012	23.01.2013
28	170/CON/CEC/GEC/2013	Mr.Kiran.C.J	Engineers India Ltd	35,000	concrete mix design consultancy	17.12.2012	13.02.2013
29	171/CON/CEC/GEC/2013	Mr.Kiran.C.J	KITCO ILtd	20,000	Concrete Mix Design	15.12.2012	21.02.2013
30	173/CON/CEC/GEC/2013	Mr.Kiran.C.J	STF Electrical, Kochi Refinery	30,000	Concrete Mix Design	13.12.2012	05.03.2013

31	174/CON/CEC/GEC/2013	Dr.Sumam.K.S	M/s Larson & Turbo Limited for Engineers India Limited	57,500	Mix Design	10.05.2013	07.08.2013
32	175/CON/CEC/FEC/2013	Mr.Kiran.C.J	The Executive Engineer, Building Division, Thrissur	1,73,250	Structural Design consultancy fort Museum for South Indian Performing Arts at Kerala Kalamandalam Campus	08.04.2013	06.01.2014
33	176/CON/CEC/GEC/2013	Mr.Kiran.C.J	M/s Raven Beck Tele Communications on behalf of Asst Garrison Engineer, Military Engineering Service, Naval Base, Kochi	67,500	Concrete Mix Proportioning Consultancy	19.04.2013	30.05.2013
34	177/CON/CEC/GEC/2013	Mr.P.P.Sivan	AE, (Civil), AGE, MES	4,138	Checking the mix design of construction of VIP annexe at Beypore	16.02.2013	04.04.2013
35	178/CON/CEC/GEC/2013	Mr.P.P.Sivan	Mother Hospital(p) Ltd	5,000	Report on present status of waste water treatment plant	18.02.2013	19.04.2013
36	179/CON/CEC/GEC/2013	Smt.Bindu.A.G	Resident Constrution , Manager, BPCL, Kochi	66,250	M 30 grade concrete design mix	09.04.2013	14.05.2013
37	180/CON/CEC/GEC/2013	Smt.Bindu.A.G	Jayachandran & Associates Designers and project engineers P Ltd	10,000	Design Concrtese mix M-30 grade	15.11.2012	15.05.2013
38	181/CON/CEC/GEC/2013	Smt.Bindu.A.G	K.V.Joseph & Sons Engineering Contractors, Edappally	10,000	Mix Design for M25 grade	20.11.12	15.05.2013
39	182/CON/CEC/GEC/2013	Smt.Bindu.A.G	Senior Manager, BPCL, Kochi	9,000	Design of Mix for M30 grade	07.11.12	15.05.2013
40	183/CON/CEC/GEC/2013	Smt.Bindu.A.G	K.V.Joseph & Sons Engineering Contractors, Edappally	10,000	Mix Design Concrete	26.11.12	14.05.2013
41	184/CON/CEC/GEC/2013	Smt.Bindu.A.G	Asst Exe Engineer, KWA, Thrissur	28,000	Mix Design M15,M20,M25,M30	08.11.2012	15.05.2013
42	185/CON/CEC/GEC/2013	Smt.Bindu.A.G	Asst Engineer, LSGD Grama Panchayath	45,000	Concrete Mix Design M25 & M30	12.04.2013	15.05.2013

43	186/CON/CEC/GEC/2013	Smt.Bindu.A.G	Deputy Chief Engineer, FACT, Udyogamandal Complex for Malayalil Builders, Thiruvankullam	56,000	Mix Design Conslutancy Work	22.03.2013	17.06.2013
44	187/CON/CEC/GEC/2013	Mr.P.P.Sivan	Senior Manager, BPCL, Kochi	25,000	Concrete Mix Design - M30 for the construction of Sump Pump	09.02.2013	17.05.2013
45	190/CON/CEC/GEC/2013	Dr.Sumam.K.S	Silpa Projects & Infrastructures	36,800	Mix Design M30	31.04.2013	16.08.2013
46	191/CON/CEC/GEC/2013	Dr.Sumam.K.S	K.V.Joseph & Sons Engineering Contractors, Edappally	20,000	Mis Design M20	04.01.2013	16.08.2013
47	192/CON/CEC/GEC/2013	Dr.Sumam.K.S	Asst Engineer, LSGD, Edavilangu	20,000	Mix Design M 20	05.05.2013	07.08.2013
48	193/CON/CEC/GEC/2013	Dr.Sumam.K.S	EE,Project Division, Nattikka	27,500	Mix Design	06.05.2013	16.08.2016
49	194/ON/CEC/GEC/2013	Dr.Sumam.K.S	M&M Engineering Contractors for BPCL	30,000	Mix Design M30	28.01.2013	16.08.2013
50	195/Con/CEC/GEC/2013	Dr.Sumam.K.S	Jayachandran & Associates Designers and project engineers P Ltd	13,500	Mix Design M 30	11.01.2013	16.08.2013
51	196/CON/CEC/GEC/2013	Dr.Sumam.K.S	United Construciton Company, Trichur	39,600	Mix Design M40	28.01.2013	16.08.2013
52	197/CON/CEC/GEC/2013	Mr.Kiran.C.J	Kerala Water Authority	58,500	Concrete Mix proportioning forDeisgn, Construction & Commissioning of 6 MLD WTP 2.5l capacity clear water sump and pump house, 13.78l Capacity OHSR at Maryamangalam	29.04.2013	30.07.2013
53	198/CON/CEC/GEC/2013	Mr.P.P.Sivan,Mr.Kir an.C.J, Mr.Arun.S	M/s Steel & Industrail Forgings Ltd	50,000	Proof checking, validation and field condition assessment of 16 T Hammer Foundation at SIFL, Athani, Thrissur	04.03.2013	30.04.2013
54	199/CON/CEC/GEC/2013	Mr.Kiran.C.J	M/s Larsen Turbo Ltd	70,500	concrete mix design consultancy	29.04.2013	15.07.2013

55	200/CON/CEC/GEC/2013	DK.N.Sajikumar	The Chief Engineer,DMRC	4,32,000	Flood study at Mnuttom Metroyard	15.03.2014	21.05.2014
56	203/CON/CEC/GEC/2013	Mr.P.P.Sivan	ST.Thomas Church, Thrissur	890	Structural design checking of the work	20.07.2013	10.08.2013
57	204/CON/CEC/GEC/2013	Mr.P.P.Sivan	XE Harbour Engineering Dept Munambam Sub Division, Ernakulam	35,000	Structural Design of proposed 6m span bridge improvements to chattanad- Cherai outer band for a	24.07.2013	26.08.2013
58	205/CON/CEC/GEC/2013	Mr.P.P.Sivan	Ottapalam Municipality	40,000	Structural and Founadtaion design of proposed Municaipal office building atOttapalam Municipality	16.07.2013	16.08.2013
59	206/CON/CEC/GEC/2013	Mr.P.P.Sivan	EE,PWD Road Divisions,Manjeri	890	Checking of structural design of proposed retaining wall Tirur Chamravattom Road & Tirur Malappuram road	29.06.2013	01.07.2013
60	208/CON/CEC/GEC/2013	Mr.Kiran.C.J	M/s Esthappan Infrastruct pvt Ltdures	26,700	Concrete Mix Proportioning and concrete manufacturing process validation consultancy	02.08.2013	10.09.2013
61	209/CON/CEC/GEC/2013	Mr.P.P.Sivan	N.S.Prince M/s Technocraft, EIL , Kochi	30,000	Concrete Mix Design	11.06.2013	29.08.2013
62	210/CON/CEC/GEC/2013	Mr.P.P.Sivan	R.K.Builders	30,000	Concrete Mix Design-M30	24.06.2013	21.08.2013
63	211/CON/CEC/GEC/2013	Mr.P.P.Sivan	PGCCL	85,000	Concrete Mix Design M 30(2 types & M 20	14.06.2013	09.9.2013
64	212/CON/CEC/GEC/2013	Mr.P.P.Sivan	KITCVO Ltd	30,000	Concrete Mix Design M 30	25.06.2013	27.08.2013
65	214/CON/CEC/GEC/2013	Mr.Kiran.C.J	Sree Guruvayurappan Bakta Seva Sangam, Kumbakonam	25,000	Planning, Design and proof checking of structural design of east nadappura at Guruvayur temple	25.06.2016	06.09.2013
66	215/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Mathilakam Block Panchayath	26,286	Evaluation of structural design	21.05.2012	04.10.2013
67	216/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	AE,PWD, Vallappad	30,000	Evaluation of Bituminous Sample	04.10.2012	20.10.2012

68	217/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	EE,KSTP Road, Kottayam	30,000	Evaluation of Bituminous mix design	28.09.2012	04.10.2013
69	218/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	AE,PWD Roads, Town Section , Thrissur	30,000	Evaluation of Bituminous Sample	11.10.2012	04.10.2013
70	219/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Regional Engineer, SIDCO, Thiruvananthapuram	75,220	Soil Investigation of Multistoried Building	01.02.2013	04.10.2013
71	220/CON/CEC/GEC/2013	Mr.P.P.Sivan	The Project Director, Army Welfare Housing Organisation, Kochi	890	Expert opinion on the suitability of Dynamic pile load test	01.10.2013	04.10.2013
72	221/CON/CEC/GEC/2013	Mr.P.P.Sivan	V.P.Baiju, PWD Contractor, Kanakamala	890	Structural checking for a space truss fro ESI Hospital at Alagappanagar	12.09.2013	23.09.2013
73	222/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	C-Met Builders, Thrissur	39,980	Soil investigation	10.07.2013	04.10.2013
74	223/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Secretary, Kaiparambu Gramapanchayath	8,900	Evaluation of water logging problem	17.12.2012	04.10.2013
75	224/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Thrissur Cooportaion	83,000	Soil Investigation & Structural design for thrissur corporation M S Nagar Bylane Road & Bridge	20.04.2013	04.10.2013
76	226/CON/CEC/GEC/2013	Mr.P.P.Sivan	Larsen & Turbo Ltd	58,501	Mix design for R.K.Builders Ernakulam	10.06.2013	16.08.2013
77	227/CON/CEC/GEC/2013	Mr.P.P.Sivan	Manager, Engineers India Limited	32,500	Mix Design M30 for Civil works	06.06.2013	20.07.2013
78	227/CON/CEC/GEC/2013	Mr.P.P.Sivan	Silpa Projects & Infrastructures	35,000	Mix Design of Army Welfare Housing organisation, Kochi	24.06.2013	27.08.2013
79	230/CON/CEC/GEC/2013	Smt.Bindu.A.G	Resident Construction Manager, BPCL, Kochi	26,853	Concrete mix Design for M/s Bridges & Roof Co Ltd	20.12.2013	20.01.2014
80	237/CON/CEC/GEC/2013	Mr.Kiran.C.J Mr.Sivan.P.P	SIFL Athani	4,25,000	Work site supervision of Civil Foundation work of 16 T Hammer Foundation of SIFL, Athani	31.04.2013	29.11.2013
81	238/CON/CEC/GEC/2013	Mr.Kiran.C.J	M/s Engineers India Ltd	32,500	Concrete mix proportioning consultancy	22.09.2013	25.11.2013

82	241/CON/CEC/GEC/2013	Smt.Bindu.A.G	KITCO Ltd	34,000	Concrete mix design for 6 MLD Water treatment plant for KINFRA	10.11.2013	20.01.2014
83	242/CON/CEC/GEC/2013	Smt.Bindu.A.G	AE,CPWD, Thrissur	32,500	Concrete Mix design for C-Met at Thrissur	09.07.2013	20.01.2014
84	243/CON/CEC/GEC/2013	Smt.Bindu.A.G	Asst Engineer, KCSD IV , CPWD, Kollam	25,000	Concrete Mix Design M 30at Chavara Kollam	10.01.2014	20.01.2014
85	244/CON/CEC/GEC/2013	Smt.Bindu.A.G	Ast Engineer, AIR, Calicut	46,000	Concrete Mix Design fconstruction of flats for PNB at Kozhikode	10.01.2014	21.01.2014
86	245/CON/CEC/GEC/2013	Smt.Bindu.A.G	Project Manager, KSUDP, Thrissur Corporation	34,000	Concrete mix design ofg KSUDP storm water drainage improvement works of Thrissur Corporation	07.01.2014	20.01.2014
87	246/CON/CEC/GEC/2013	Smt.Bindu.A.G	Asst Engineer, AIT, Calicut	25,000	Concrete mix design for construction of flats for PNB at Calicut for AE,AIR, Calicut	10.01.2014	20.01.2014
88	247/CON/CEC/GEC/2013	Smt.Bindu.A.G	Asst Exe Engineer, Harbour Engg Subdivision Chellanam	44,000	Concrete mix design of NABARD_RIDF_XVII construction of Kunnamkulla,- Nettoor & Bridge in Ernakulam	28.11.2013	20.01.2014
89	249/CON/CEC/GEC/2013	Dr.E.A.Subaida	K.V.Joseph & Sons Engineering Contractors, Edappally	4,500	Tests on bentonite sample for extension of BTP&NCB for developing cruise berthing facilities at Cochin port trust	19.08.2013	17.01.2014
90	250/CON/CEC/GEC/2013	De.E.A.Subaida	KV Joseph and Engineering , Cochin	4500	Tests on bentonite sample for extension of BTP&NCB for developing cruise berthing facilities at Cochin port trust	19.08.2013	17.01.2014

91	251/CON/CEC/GEC/2013	Dr.E.A.Subaida	M/s Bridges and Roof, Ambalamugfal	6,140	Grain size analysis and other physical properties of coarse aggregates for WBM for the work of Civil and structural works for enabling facilities including grading , warehouse (PEB) and dismantling works for BPCL-KR Ambalamugal	12.09.2012	17.01.2014
92	256/CON/CEC/GEC/2013	Mr.P.P.Sivan	Exe Engineer,LSGD, Thrissur	12,905	Structural Design of a retaining wall for the road at Ex service men colony,Cettipara, Chalakudy		
93	257/CON/CEC/GEC/2013	Mr.P.P.Sivan	Exe Engineer, KWA, Thrissur	20,000	Structural Design on renovation of existing sump pump house at Olari	06.12.2013	24.01.2014
94	258/CON/CEC/GEC/2013	Mr.P.P.sivan	Exe Engineer, KWA, Thrissur	16,000	Structural design pump house at Engadiyur	02.01.2014	30.01.2014
95	259/CON/CEC/GEC/2013	Mr.P.P.Sivan	Resident Manager, Engineers India Limited	88,000	Mix design M 30 M25 (2 grades of cement for Civil structural & Ug Pipe worksFCC Unit	30.10.2013	06.01.2014
96	260/CON/CEC/GEC/2013	MR.P.P.Sivan	M/s Engineers India Ltd	1,39,999	Mix Design M 30 (Liquid retaining) & M 20 (for 2 different cements) for coke drum structure package	25.10.2013	01.02.2014
97	261/CON/CEC/GEC/2013	Mr.P.P.Sivan	Blue Chip Constructions , Ernakulam	40,000	Mix Design M 15 high workability ( 2sets of Cements) pumping concrete	29.10.2013	06.01.2014
98	262/CON/CEC/GEC/2013	Mr.P.P.Sivan	M/s Engineers India Ltd	1,56,000	concrete mix design M 30 & M 25 (3 grades of cements ) for Coke drum structure package (CSDP)	28.10.2013	06.01.2014
99	263/CON/CEC/GEC/2013	Mr.P.P.Sivan	Asst Engineer, LSGD Section,Alagappanagar	1,24,600	Architectural, structural, soiltest and sample mix	20.08.2013	18.07.2013
100	264/CON/CEC/GEC/2013	Mr.P.P.Sivan	M/s Engineers India Ltd	35,000	Concrete mix design M30 for condensate polishing unit	02.02.2014	17.02.2014



101	267/CON/CEC/GEC/2013	Dr.Sumam.K.S	BPCL-KR	54,800	Mix design M 20 Ultra tech ppc	05.09.2013	25.02.2014
102	268/CON/CEC/GEC/2013	Dr.Sumam.K.S	Driples Water Engineering Ltd	1,50,000	Mix design nM30,M25, M20 for Ramco and Zuari opc53 (6 reports)	11.10.2013	25.02.2014
103	269/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Delhi Metro Rail Corporation	15,000	Design of Granular Sub Base	21.11.2013	10.03.2012
104	270/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Asst Engineer, PWD Roads Pudukakd	30,000	Design of MBM-BC for Kodungallore road	10.02.2014	10.03.2014
105	271/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	KITCO Ltd	9,500	Soil analysis for construction of ROB at Divine Nagar, Chalakudy	30.1.2013	10.03.2014
106	272/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	The Secretary Ottapalam Municipality	8,000	Soil investigation for new office building	14.06.2013	10.03.2014
107	273/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Asst Engineer,PWD RoadsSection, Thrissur	30,000	BM & BC Design	01.10.2013	10.03.2014
108	275/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Harbour Engg Sub Division, Munambam	93,100	Soil investigation and structural design of an office building	13.11.2013	10.03.2014
109	276/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Asst Exe Engineer, Southern Railway	14,650	Soil evaluation of Mulanthuraathy and Kurupanthara	07.03.2013	10.03.2014
110	277/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Tirur Gramapanchayath	77,250	Soil investigation of OH tank f	17.12.2013	10.03.2014
111	278/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Asst Exe Engineer, Harbour Engineering Division, Munambam	3000	Analysing grian size distribution of sample	06.01.204	10.03.2014
112	279/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Vishaal Infrastructures Ltd for Cochin International Airport Ltd	44,500	Widening if existing approach raoad from Athani junction at NH 47 to Airport -Bm-BC Design	12.07.2013	10.03.2014
113	280/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	AE,PWD Roads Kodungallore	15,000	Mix Design BM-BC	06.11.2013	10.03.2014
114	281/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	HLL Life Care Ltd	60,500	Soil Investigation rain water harvesting pond KUHS Thrissuir	20.12.2013	10.03.2014
115	282/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	AE,PWD Roads , Vallappad	30,000	BM-BC design for Triprayar Kanjani Chavakkad Road	10.02.2014	11.03.2014

116	283/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Centre for Encironment, Architectureand Humans Settlemnts PLtd	89,000	Soil test at Thuruty, Fort Kochi	27.11.2013	11.03.2014
117	284/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Engineers India Ltd	10,800	Evaluation of Soil samples	08.09.2013	10.03.2014
118	285/CON/CEC/GEC/2013	Mr.Anilkumar.P.S	Executive Engineer, CPWD, Thrissur	69,530	Soil Investigation of a building for KVASU at Mannuthy	22.10.2013	12.03.2014
119	289/CON/CEC/GEC/2014	Dr.Sumam.K.S	Shrikhande Consultants P Ltd	37,500	Mix Design M 25 (2 mixes) using Dalmia Vajram ppc with & without admixture	11.10.2013	11.03.2014
120	291/CON/CEC/GEC/2014	Mr.Kiran.C.J	M/s Engineers India Ltd	30,800	concrete mix proportioninf consultancy	06.12.2013	03.01.2014
121	292/CON/CEC/GEC/2014	Mr.Kiran.C.J	M/s Engineers India Ltd	1,00,000	Concrete proportioning consultancy	19.12.2013	03.01.2014
122	293/CON/CEC/GEC/2014	Dr.Sumam.K.S	Kerala Water Authority	27,500	Mix design M 30 usin gsankar ppc	08.01.2014	11.03.2014
123	294/CON/CEC/GEC/2014	Dr.Sumam.K.S	Kerala Water Authority	52,500	Misx Design M 30, M 25 (2 Mixes), using Dalmia opc 43	17.10.2012	11.03.2014
124	295/CON/CEC/GEC/2014	Dr.Sumam.K.S	Fabtech Projects & Engineers	30,000	Mix design M 35, usinf ppc	06.01.2014	11.03.2014
125	303/CON/CEC/GEC/2014	Smt.Bindu.A.G	AGE B/R no Nedumabssery	1,36,000	Mix Design	11.07.2013	29.06.2013
126	304/CON/CEC/GEC/2014	Smt.Bindu.A.G	Resident Construction Manager, EIL	49,000	M30	24.12.2014	14.07.2014
127	305/CON/CEC/GEC/2014	Smt.Bindu.A.G	Resident Construction Manager,EIL	49,000	M 30	28.11.2013	14.07.2014
128	306/CON/CEC/GEC/2014	Smt.Bindu.A.G	Senior Plant Manager, IOC	66,610	M 30 grade concrete design mix	01.04.2014	14.07.2014
129	307/CON/CEC/GEC/2014	Smt.Bindu.A.G	T.J.Joseph, General Manager, EIL,	1,83,000	Mix Design M 20, M25,M30 SiteGraiding III	12.03.2014	14.07.2014
130	308/CON/CEC/GEC/2014	Smt.Bindu.A.G	John Paul V Resident Const5rucion Manager	17,800	Material Properties	13.03.2014	14.07.2014

131	309/CON/CEC/GEC/2014	Smt.Bindu.A.G	M/s TyssenKurup Industries India P Ltd	49,500	Mix Design	28.11.2013	14.07.2014
132	310/CON/CEC/GEC/2014	Smt.Bindu.A.G	Asst Engineer, PWD Bridge Section, Chalakudy	65,000	M 15 M 25 M 30- for Ala Gothuruth Bridge	27.03.2014	14.07.2014
133	311/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	The Project Director, DMRC	10,000	Soil Investigation	26.06.2013	23.07.2014
134	312/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	The Secretary , Puthur Gramapanchayth	5,000	Soil Parameters	28.03.2012	23.07.2014
135	313/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	MC Nally Bharat Engineering Ltd	890	Evaluation of Soil samples	10.12.2013	23.07.2014
136	314/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	AE Road Section , Chelakkara	15,000	BM & BC Design	11.03.2013	23.07.2014
137	315/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Asst Engineer Irrigation, Tirur	7,000	BM & BC Design	03.06.2014	23.07.2014
138	316/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Asst Garrison Engineer, Kochi	1,500	Evaluation Bentonite	03.06.2014	23.07.2014
139	317/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	AE Road Section Chavakkad	30,000	BM & BC Design	12.02.2014	23.07.2014
140	318/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Renjith.M.V	8,000	Soil Investigation	01.01.2013	23.07.2014
141	319/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Hamza Nattika	4,450	Soil Investigation	06.09.2012	23.07.2014
142	320/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Secretary, Koratty Gramapanchayath	53,000	Soil Investigation for the proposed water treatment plant at Kotayi	16.11.2012	23.07.2014
143	321/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	KSSIPL Kochi	10,659	Evaluation of Soil samples	13.12.2013	23.07.2014
144	322/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Irinjalakuda Municipality	8,500	Soil Investigation for the proposed Gynaecology Theatre at Thaluk Hospital	31.01.2013	23.07.2014
145	323/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Exe Engineer, CPWD, Thrissur	69,530	Soil Investigation work for Vetinary University Thrissur	12.03.2014	23.07.2014
146	324/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Forest Industries and Travancore	54,001	Soil Investigation for academic staff college, Thrissur	08.02.2014	23.07.2014

147	325/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Anoop Associates, kochi	4,000	Evaluation ofBentonite Sample	21.10.2013	23.07.2014
148	326/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Joseph George c/o Cherthala Municipality	6,000	Soil investigation for an office building at Cherthala	22.03.2014	23.07.2014
149	327/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Kunnamkullam Municipality	68,250	Soil investigation for the proposed slaughter house	25.11.2013	23.07.2014
150	328/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	AE Road Section, Wadakkanchery	15,000	BM& BC design	11.03.2013	23.07.2014
151	329/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	AE,RoadsSection, Wadakkanchery	15,000	BM & BC Design	11.03.2013	23.07.2014
152	330/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	AE Road Section, Thrissur	30,000	BM &BC Design	14.03.2014	23.07.2014
153	331/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	AE,CPWD, Thiruru	3,620	Evaluation of Soil samples	27.03.2014	23.07.2014
154	332/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	AE, RoadSection Kodungalore	15,000	BM_ BC Design	10.02.2014	23.07.2014
155	333/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Senior Section Engineer, Southern Railway	5,000	Evaluation of Soil samples	12.05.2014	23.07.2014
156	335/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Great sportsinfra Ltd	2,000	Evaluation of Soil samples	26.10.2013	23.07.2014
157	336/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	KV Joseph and Engineering , Cochin	3,400	Evaluation of Soil samples	31.10.2013	23.07.2014
158	337/CON/CEC/GEC/2014	Dr.E.A.Subaida	Asst Engineer, KCSD IV CPWD, Kollam	4,500	OCR Complex(office quarters Type I & II) including electrical works for SIB at Kollam	07.07.2014	30.07.2014
159	342/CON/CEC/GEC/2014	Mr.P.P.Sivan	The Contractor, Engineers India Site, Ernakula,	21,000	Complete test for 20,12.5mm & M Sand	22.02.2014	25.03.2014
160	343/14/CON/CEC/GEC/2014	Mr.P.P.Sivan	The Manager, L&T Construction KRL Ambalamugal	21,708	Aggregate test for 20mm, 12.5mm & Masand	22.02.2014	05.05.2015
161	344/CON/CEC/GEC/2014	Mr.P.P.sivan	Project leader, Cochin, BPCL	25,000	Misx design M 25 for tank	16.04.2014	28.08.2014
162	345/CON/CEC/GEC/2014	Mr.P.P.sivan	The Manager, HSC, Palakkad	27,500	Mix Design M 25 for HSC works	24.03.2014	28.08.2014

163	346/14/CON/CEC/GEC/2014	Mr.P.P.Sivan	The Manager,ISGEC Heavy Engineering	32,500	Mix Design MN 30for proposed work	24.02.2014	28.09.2014
164	347/CON/CEC/GEC/2014	Mr.P.P.Sivan	Construction Engineer, KLDC, Thrissur	50,000	Mix Design M 20 & M30	02.05.2014	08.07.2014
165	348/CON/CEC/GEC/2014	Mr.P.P.Sivan	AEE, Harbour Engg subdivision, Tanur , Malappuram	54,000	Mix design M 30 for construction of quay wall & auction hall	29.05.2014	28.08.2014
166	349/CON/CEC/GEC/2014	Mr.P.P.Sivan	Junior Telecom Officer, BSNL, Thrissur	25,000	Mix design 25 for construction of training centre & new office building at Thumburmuzhi	05.06.2014	28.08.2014
167	350/CON/CEC/GEC/2014	Mr.P.P.sivan	Project Leader, Cochin, BPCL	19,000	Aggregate test, Cement test,water test	18.04.2014	16.05.2014
168	351/CON/CEC/GEC/2014	Mr.P.P.Sivan	KITCO Ltd	1,56,000	Mix Design M30 M35 M40 for construction of terminal building at Cochin airport	07.07.2014	28.08.2014
169	352/CON/CEC/GEC/2014	Smt.Bindu.A.G	Mr.Nishad.V.M	5,000	Material properties analysis river sand	11.06.2014	30.08.2014
170	353/CON/CEC/GEC/2014	Smt.Bindu.A.G	Deens Construction	44,000	Concrete Mix Design	16.06.2014	30.08.2014
171	354CON/CEC/GEC/2014	Smt.Bindu.A.G	Larsen & Turbo Ltd	8,900	Material properties analysis coarse aggregates & Fine aggregates	16.06.2016	30.08.2014
172	355/CON/CEC/GEC/2014	Smt.Bindu.A.G	Asst Engineer, KCSD IV , CPWD, Kollam	30,000	Concrete mix design for IWT at Chawara Kollam	12.03.2014	30.08.2014
173	356						
174	357/CON/CEC/GEC/2014	Mr.P.P.Sivan	Asst Engineer, LSGD Thrissur	5,77,732	Construction of Panchayath Shopping Mall at Alagappanagar	21.02.2014	28.08.2014
175	358/CON/CEC/GEC/2014	Mr.P.P.Sivan	Construction Engineer, KLDC, Thrissur	1,92,014	Structural design for construction of Integrated agriculture complex at Chembakkavu	11.11.2013	10.03.2014
176	362/CON/CEC/GEC/2014	Dr.E.A.Subaida	K V Joseph & Sons Engg	4,500	Extension of BTP & NCB for developing cruise berthing facilities at Cochin Port Trust	31.07.2013	22.09.2014

177	365/CON/CEC/GEC/2014	Smt.Bindu.A.G	Resident Construction Manager,EIL	5,46,178	Concrete Mix Design & Materila properties analysis	14.10.2013	24.10.2014
178	366/CON/CEC/GEC/2014	Dr.E.A.Subaida	K V Joseph & Sons Engg	9,000	Extension of BTP & NCB for developing cruise brething facilities at Cochin Port Trust	31.07.2013	22.09.2014
179	367/CON/CEC/GEC/2014	Dr.E.A.Subaida	ABA Industries , Kadangode, Thippillasserys	1,000	Gradation of stone aggregate slurry	01.10.2014	20.11.2014
180	369/CON/CEC/GEC/2014	Smt.Bindu.A.G	Asst Engineer,CPWD,Chembakkavu	25,000	Concrete Mix Design	06.11.2014	12.12.2014
181	370/CON/CEC/GEC/2014	Smt.Bindu.A.G	Resident Construction Manager	25,000	Concrete Mix Design	20.11.2014	05.02.2015
182	371/CON/CEC/GEC/2014	Smt.Bindu.A.G	Deputy General Mmanager Construction EIL	20,000	Concrete Mix Design	21.10.2014	12.12.2014
183	372/CON/CEC/GEC/2014	Smt.Bindu.A.G	Asst Garrison Engineer, Kochi	30,000	Concrete Mix Design	12.08.2014	06.02.2015
184	373/CON/CEC/GEC/2014	Smt.Bindu.A.G	KITCO Ltd	45,000	ConcreteMix Design	20.08.2014	12.12.2014
185	376/CON/CEC/GEC/2014	Smt.Bindu.A.G	Exe Engineer, KCI, DMRC	84,500	Concrete Mix Design	04.02.2015	13.02.2015
186	377/CON/CEC/GEC/2014	Dr.E.A.Subaida	PWD NH Section Kozhikode	30,000	The work includes then testing of properties of aggregates and bitumen. The design mix formula of Granular sub-base, Base course of wel mini macadems and bituminuosus macadam is also to be prepared	06.11.2014	10.02.2015
187	378/CON/CEC/GEC/2014	Smt.Bindu.A.G	Ray Engineering	27,500	Concrete mix design M 30 grade concrete using Uttratech 53 grade cement was done	03.03.2015	23.03.2015
188	379/CON/CEC/GEC/2014	Smt.Bindu.A.G	EIL,BPCL	9,200	Material properties analysis	27.02.2015	02.03.2015
189	381/CON/CEC/GEC/2014	Mr.P.P.Sivan	N.J.Thomas	9,500	Quality assurinance, material determination, testing	23.01.2015	01.02.2015

190	382/CON/CEC/GEC/2014	Mr.P.P.Sivan	Keller Ground Engg	1,04,000	Mix Design MN 30 BPCL-KR	15.10.2014	18.11.2014
191	383/CON/CEC/GEC/2014	Mr.P.P.Sivan	Penna Cements	6,000	Usage of Act to get Comp strength in quick duration	16.01.2015	14.01.2015
192	384/CON/CEC/GEC/2014	Mr.P.P.sivan	N J Thomas	25,000	Mix design M25 for Medical College, Thrissur	12.10.2014	10.11.2014
193	385/CON/CEC/GEC/2014	Mr.P.P.Sivan	DY General Manager, EIL	27,500	Mix Design M25	20.10.2014	30.11.2014
194	386/CON/CEC/GEC/2014	Mr.P.P.Sivan	DGM EIL Kr	32,500	Mix Design	01.10.2014	20.11.2014
195	387/CON/CEC/GEC/2014	Mr.P.P.Sivan	AE, LSGD, Thrissur	35,600	Structural Design of Culvetidge at Pallithode	16.12.2014	02.02.2015
196	388/CON/CEC/GEC/2014	Mr.P.P.Sivan	Secretary , Manjapara Gramapanchayath	68,530	SPT analysis of soil problem at site	14.01.2015	02.02.2015
197	389/CON/CEC/GEC/2014	Mr.P.P.Sivan	SecretaryNedumbassery Panchayath	31,150	Structural Design of G+2 Building	19.08.2014	15.09.2014
198	390/CON/CEC/GEC/2014	Mr.P.P.Sivan	Secretary Nedumbassery Panchayath	22,250	Structural Design of G+2 Building	18.08.2014	15.09.2014
199	391/CON/CEC/GEC/2014	Mr.P.P.Sivan	Thrissur Corporation	2,20,274	Structural modelling for Dynamic Analysis		
200	392/CON/CEC/GEC/2014	Mr.P.P.sivan	SIFL, Athani	15,000	To evaluate the problems involved in buildings constructed by the above company	11.10.2014	13.10.2014
201	395/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Forest Industries and Travancore	1,47,465	Soil Investigation by deeper boring by multi storage building	29.09.2014	06.11.2014
202	396/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Kaipamangalam Gramapanchayath	1,41,690	Soil Investigation by deeper boring by engaging external agency for the site work & structural design of framed structures	05.08.2014	05.11.2014
203	397/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Chavakkad Municipality	68,000	Soil investigation by conducting sub soil investing and submitting design drawing for the foundation for the Bus stand building	10.11.2014	05.11.2014

204	398/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Kerala Water Authority	1,31,301	conducting deeper sil investigation by engaging external agency for caring out drilling bore holes at different locations	13.12.2015	24.03.2015
205	399/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	KSEB	5,000	Soil Analysis by collecting soil samples from site and finding out values of soil	04.11.2014	18.11.2014
206	400/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Menalur GramaPanchayath	43,500	Soil Investigation by Deeper boring for digging well to the proposed water supply scheme	11.11.2014	24.03.2015
207	401/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Southern Railway	90,915	Soil Investigation for Railway bridges	25.07.2014	10.10.2014
208	402/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Private Individual	4,000	Soil Investigation for the proposed house building of Adarsh.N.Kumar, Thrissur	28.11.2014	12.12.2014
209	403/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Thrissur Development Authority	93,800	Soil Investigation for Building complex at Kovillakathupada,	28.12.2014	13.01.2015
210	404/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	RDS Projects, Kochi	2,000	Evaluation of Bentonite Sample	16.12.2014	08.12.2014
211	405/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	MC Nally Bharat Engineering Ltd	11,700	Evaluation of soil sample	15.11.2014	02.12.2014
212	406/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	M/s Pharpur Cooling Tower	5,000	Determination of soil parameters by analysing the soil sample	08.01.2014	21.04.2014
213	407/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Pacific Tanks Ltd	7,000	Sub Soil Investigation for acommercial building at Kallettumkara	05.03.2014	14.02.2014
214	408/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	LSGD Puzhakkal	540	Evaluation of Aggregate sample	11.03.2014	08.01.2014
215	409/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	MCNally	890	Evaluation of Soil sample	10.12.2013	18.12.2013
216	410/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Thrissur Corporation	26,700	Soil Investigation for the proposed hostel building	27.07.2013	06.09.2013



217	411/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	PTCL IRE Project, Ernakulam	4,500	Evaluation of soil sample	27.06.2013	02.07.2013
218	412/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	DMRC	7,700	Evaluation of Soil Sample	05.12.2012	07.01.2014
219	413/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	L&T Ernakulam	7,000	Evaluation of Soil Sample	30.04.2013	30.04.2013
220	414/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Anie john	2,500	Evaluation of Soil samples	05.09.2012	20.09.2012
221	415/CON/CEC/GEC/2014	Mr.Anilkumar.P.S	Dr.Mohammed Rafeek	600	Evaluation of Marble	05.04.2014	04.09.2012
222	416/CON/CEC/GEC/2014	Smt.Bindu.A.G	CPWD Cochin Central Sub Division	24,000	Concrete mix design for M 35 grade concrete is done. Cement content used was 366kg/m <sup>3</sup> 28th day strength obtained was 43.4 n/m <sup>2</sup> . Marterial propertied analysed as per IS 2386 and IS 15383 . Mix Deisign was conducted as per IS 10262 - 2012. Mix Design was completely successfully and resultwas handed over to Client	15.01.2015	20.03.2015
223	417/CON/CEC/GEC/2014	Smt.Bindu.A.G	Steel Industries Kerlal Ltd	22,250	Concrete mix design for M 25 grade concrete was done as per ISI0262-23012. Material properties were analysed for theis as per IS2386 ,IS383 . Mix design consisitnf of 3 trial mixes have been completed success fully. Result was handed over to client	15.01.2015	20.03.2015
224	06/CON/CEC/GEC/2015	Smt.Bindu.A.G	Asst Engineer, cochin CPWD, Lakshwadeep	24,000	Concrete Mix of grade M 35 for the construction of housing complex, Administrative complex,at Kavaratti, Union Territory of Lakshwadeep	12.05.2015	05.06.2015

225	380/CON/CEC/GEC/2014	Smt Bindu.A.G	The Asst Garrison Engineer, Nedumbassery	49,001	Concrete mix design for dry lean concrte and pavement quality concrete for Nedumbassery Airport	09.03.2015	05.06.2015
226	7/CON/CEC/GEC/2015	Smt.Bindu.A.G	Sony George, Vyttila Cochin	25,000	Concrete of grade M 30 have been completed for the works of Administrative cum academic buildings at IMU,W/S Island, Kochi	27.03.2015	05.06.2015
227	08/CON/CEC/GEC/2015	Mr.Anoob Sebastain	Thrissur Builders,.P Ltd	6,000	Investigation of Concrte cube strength by accelerated curing method	30.12.2014	15.06.2015
228	10/CON/CEC/GEC/2015	Mr.Anoob Sebastain	Cochin Shipyard Ltd	25,000	Concrete mix design grade M30 for the construction of pile foundation for employees quarters at Aheriya Kadartahvu, Cochin shipyard Ltd	25.08.2014	15.06.2015
229	10/CON/CEC/GEC/2015	Mr.Anoob Sebastain	The Asst Engineer, Irrigation Section, Tirur	4,500	Soil Investigation for the proposed development of waterways and canals	08.08.2014	15.06.2015
230	13/CON/CEC/GEC/2015	Mr.Anilkumar.P.S	Senior Section Engineer, Southern Railway, Shornaur	1,500	Evaluation of Bentonite Sample	15.07.2015	28.01.2016
231	14/CON/CEC/GEC/2015	Dr.E.A.Subaida	KV Joseph and Engineering , Cochin	4,500	Laboratory tests of liquid limit, PH sand content viscosity test and swelling were carried out and the suitability of supplied sample was assessed based in standard specifications	15.02.2015	28.06.2015
232	15/CON/CEC/GEC/2015	Dr.E.A.Subaida	Asst Engineer, CPWD, Kollam	4,500	Supplied bentonite sample was tested for determination of plastic limit, liquid limit and viscosity . The results were compared with IS specifictaion and suitability of the sample was reported	10.02.2015	26.06.2015

233	16/CON/CEC/GEC/2015	Dr.E.A.Subaida	Asst Engineer, P W D NH section, Palakkad	40,000	Mix design widening of Kunthipuzha Bridge . The work consists of assesement of suitability of aggregates and bitumen for the specified layers by conducting various physical and strength test. Mix Design of Granular sub base,MM and Bituminuius concrete was carried out after gradation as per MORTH-Specified	05.05.2015	26.06.2015
234	17/CON/CEC/GEC/2015	Mr.Anilkumar.P.S	M/s South Indian Constructions, Kollam	3,000	Evaluation of Bentonite sample	10.07.2015	22.03.2016
235	18/CON/CEC/GEC/2015	Mr.Anilkumar.P.S	The Administrator, Guruvayur Devaswom	3,91,001	Sub soil investigation of the proposed queue complex	15.07.2015	28.01.2016
236	20/CON/CEC/GEC/2015	Mr.Anilkumar.P.S	The senior Section Engineer, Southern Railway, shornour	4,000	Soil sample evaluation for estension of shutting yard at Shornur	29.07.2015	22.03.2016
237	24/CON/CEC/GEC/2015	Mr.P.P.Sivan	The Secretary, Alagappanagar Gramapanchayath	1,75,439	Estimate of G+3 shopping complex at Alagappanagar	12.08.2015	18.09.2015
238	26/CON/CEC/GEC/2015	Mr.Anilkumar.P.S	The Secretary,Thrissur Development Authority	35,700	Soil investigation for the proposed commercial complex at Shaktan Nagar, Thrissur	20.08.2015	28.01.2016
239	27/CON/CEC/GEC/2015	Mr.Anoob Sebastain	The Asst Engineer,KWA	6,500	Checking the given materials suitable for making a rapid sand fitter media	19.08.2015	28.09.2015
240	28/CON/CEC/GEC/2015	Mr.Anoob Sebastain	The Asst Engineer, Irrigation Section, Champakkara	12,000	Soil investigation for the improvements to Kadambayyar feeder canal	18.06.2015	20.08.2015
241	29/CON/CEC/GEC/2015	Smt.Bindu.A.G	George Mathew, Kalyam Designs, Thrissur	25,000	Design of 5 residence with Architectural drawings	18.11.2014	21.08.2015

242	30/CON/CEC/GEC/2015	Smt.Bindu.A.G	M/s Kalyan Developers, Thrissur	25,000	Concrete mix design for M35 grade is done using the materials supplied by the party for a project of G+9 building(Appartment of Chungam, Near Ayyanthole	10.08.2015	16.02.2016
243	31/CON/CEC/GEC/2015	Mr.Anilkumar.P.S	The Asst Engineer,LSGD, Athirappilly Gramapanchayath	4,000	Soil investigation for the construction of bridges, Athirappilly Gramapanchayath	20.07.2015	28.01.2016
244	33/Mr.P.P.SivanCON/CEC/GEC/2015	Mr.P.P.Sivan	The Asst Engineer, Thrissur Corporation	50,000	Structural Design of Kunduwara Bridge		
245	34/CON/CEC/GEC/2015	Mr.P.P.Sivan	The Branch Manager, Skyline Builders, Thrissur	30,260	Mix deisgn M30 Mix	07.04.2015	13.05.2015
246	55/CON/CEC/GEC/2015	Mr.P.P.Sivan	The Asst Engineer, PWD Roads, Chalakudy	24,034	Mix Design of M 25 Mix	17.04.2015	25.05.2015
247	36/CON/CEC/GEC/2015	Mr.P.P.Sivan	The Exe Engineer, Agriculture Department, Thrissur	43,685	Standard designs of agriculture engineering informartion centre	14.05.2015	25.05.2015
248	37/CON/CEC/GEC/2015	Mr.P.P.Sivan	The Asst Engineer,LSGD section Parallam	44,500	Structural design of proposed indoor stadium	07.04.2015	20.05.2015
249	38/CON/CEC/GEC/2015	Mr.P.P.Sivan	The Project Director, Jananidhi	1,96,689	Checking of water tank structural design of 1.0 Lakh and 4.1 Lakh litres capacity	05.05.2015	30.05.2015
250	42/CON/CEC/GEC/2015	Mr.P.P.Sivan	AE,LSGD, Alankode	55,444	Soil investigation and structural design of an office building	27.10.2015	06.12.2015
251	43/CON/CEC/GEC/2015	Mr.P.P.Sivan	Indane Bottling Plant, Nadakkavu	44,125	testing sample of aggregates	15.10.2015	20.12.2015
252	45/CON/CEC/GEC/2015	Smt.Bindu.A.G	EIL,BPCL	62,480	Concrete Mix Design	30.11.2015	12.02.2016
253	46/CON/CEC/GEC/2015	Dr.Sumam.K.S	The Asst Engineer, CPWD, Kakkannad	32,000	Mix Design M35 severe condition. Tested compressive strength and determined for the mix on 7th and 28th day curin. The mis prepared based on the quality checking of cement, sand and aggregates	09.12.2015	30.05.2016
254	48/CON/CEC/GEC/2015	Mr.Anilkumar.P.S	The Asst Engineer, Irrigation Section, Tirur	6,870	Evaluation of Soil sample	15.12.2015	22.03.2016

255	57/CON/CEC/GEC/2015	Mr.P.P.Sivan	The Secretary, ULCCS ltd Kozhikode	4,367	Scrutiny of Structural drawings & calculations for nthe handicraft training academy , Kozhikode	07.12.2015	01.03.2016
256	56/CON/CEC/GEC/2015	Mr.P.P.Sivan	The Corporation Engineer, Thrissur Corporation	70,000	Structural Design work mof pavement for Saktan Bus Stand Yard	18.06.2015	19.08.2015
257	58/CON/CEC/GEC/2015	Mr.P.P.Sivan	Mr.Sreekumar.K.Operationsa Manager, Aurinco Consultancy Services, Calicut	25,000	Mix Design of M25 Mix	01.06.2015	02.08.2015
258	59/CON/CEC/GEC/2015	Mr.P.P.Sivan	The Secretary, Tholoor Gramapanchayth	4,367	Structural Design & stabilityh checking of the Panchayath building	07.12.2015	01.03.02016
259	60/CON/CEC/GEC/2015	Mr.Anilkumar.P.S	The Asst Engineer, LSGD, Elavally GramaPanchayath	53,400	Sub soil investigation for the Pandarathodu Bridge for Elavally Gramapanchayath	24.03.2015	22.03.2016
260	62/CON/CEC/GEC/2015	Mr.Anilkumar.P.S	The Chief Enginer,HLL Life care Ltd, Trivandrum	59,000	Soil Investigation for the proposed W & C Building for Taluk Hospital, Alathur by deeper boring and foundation recommendation report	10.10.2014	22.03.2016
261	63/CON/CEC/GEC/2015	Mr.Anilkumar.P.S	The Exe Engineer, Kochi Municipal Corporation	2,22,499	Soil Investigation of the proposed building and bridge at Cochin	09.01.2014	22.03.2016
262	65/CON/CEC/GEC/2015	Mr.P.P.Sivan	The Administrator, Guruvayur Devaswom	7,42,358	Structural checking of proposed building construction & multi level car parking	31.03.2016	19.04.2016
263	68/CON/CEC/GEC/2015	Dr.E.A.Subaida	The Asst Engineer,CPWD, Cochi	4,000	Testing of Granite the dimensions of 2 samples of granite tiles was checked determination of specific gravity and moisture content were carried out . The surface quality of tiles were assessed by standard test and vitrified eith standard requirements	17.03.2016	28.03.2016

264	69/CON/CEC/GEC/2015	Mr.P.P.Sivan	The Resident Construction Manager, EIL	74,672	Mix Design	29.03.2016	13.04.2016
265	70/CON/CEC/GEC/2015	Dr.E.A.Subaida	K.Ravindran, Calicut	40,000	Mix Design for maintenance of Perumbillavu- Perinthala manna Road	03.03.2016	28.04.2016
266	71/CON/CEC/GEC/2015	Mr.P.P.Sivan	The Secretary Ottapalam Municipality	7,00,000	Total Consultancy works regdring the bus stand building extension	08.02.2016	31.03.2016
267	74/CON/CEC/GEC/2015	Mr.P.P.Sivan	The Administrator, Guruvayur Devaswom	3,50,000	Structural checking of proposed queue complex for Guruvayur Devaswom	31.03.2016	
268	CON/GEC/1/2016	Dr.E.A.Subaida	The Assistant Engineer,PWD Roads,Chelakkara	45,800	BM and BC Mix design for Pazhayanoor- Lakkidi road	06.06.2016	
269	CON/GEC/2/2016	Dr.E.A.Subaida	M/S IOT Anwasha Engg. And Construction Ltd,Vadookkara	7,433		06.06.2016	
270	CON/GEC/3/2016	Dr.E.A.Subaida	The Assistant Engineer,PWD Roads,Chavakkad	34,350	Mix design of BC	06.06.2016	
271	CON/GEC/15/2016	Mr.P.P.Sivan	M/S Ray Engineering Ltd	1,24,225	Mix design	30.06.2016	
272	CON/GEC/16/2016	Dr.E.A.Subaida	The Assistant Engineer,PWD,Parappanangadi	2,300	Soil test	30.06.2016	
273	CON/GEC/29/2016	Smt.Bindu.A.G	M/S CPWD, Cochin	20,000	Mix Design	25.10.2016	
274	CON/GEC/30/2016	Smt.Bindu.A.G	M/S Abraham Infra Projects	10,523	Property analysis of materials	25.10.2016	